

Lot #

100


Lot 100: Hyster H50CT 5,000 lb LPG Forklift – 188" Lift, Side Shift, 42" Forks – Serial Number Indicates 2015 Model Year

ASSET LOCATION: OFFSITE - SEE LOCATION , Seller Type Business Fleet , **To Be Sold Pending Seller Confirmation** , Features: Adjustable Forks, Hydraulic Side Shift, 3 Stage Mast, Manufacturer's Specifications; Manufacturer: Hyster, Model: H50CT, Year: – Serial Number Indicates 2015 Model Year (Unable to confirm), Serial Number: A274V03893N, Machine Type: Internal Combustion Cushion Tire Forklift, Fuel Type: LPG / Propane, Rated Capacity: 5,000 lbs. class, Capacity at 188" Lift Height: 4,400 lbs., Capacity at 168.7" Lift Height: 4,800 lbs., Load Center: 24", Maximum Lift Height: 188", Lift Height at Maximum Capacity: 168.7", Fork Length: 42", Side Shift Carriage: 42", Mast Back Tilt: 5°, Transmission: Powershift, 1-Speed, Truck Weight: 7,540 lbs., Tread Width: 38.6", Front Tires: 6.50 x 10 / 5.0 Solid, Rear Tires: 18 x 7-8 / 4.33 Solid, Operator Type: Seated Rider, Forklift Class: 5,000 lb. Capacity Class, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Hours 2,347 , Title Brand No Title - Bill of Sale , Title Status No Title , Drive Status Starts/Runs , **As-Is/Where-Is: No Guarantee On Roadworthiness Or Drive Status** , Fuel Propane , Transmission Automatic , Color Yellow , VIN/SERIAL A274V03893N

101


Lot 101: Lot w/ Metal Worktable, Industrial Shelving, Porter-Cable Router, Hitachi Grinder & Misc. Shop Tools

Specifications: Lot Type: Mixed Industrial Shop Equipment & Tools, Includes: Metal Work Table, Includes: Industrial Steel Shelving, Includes: Porter-Cable Router Base / Router Assembly, Porter-Cable Model: 1001 Router Base, Compatible Router Motor Shown: Porter-Cable 6902 Heavy-Duty Motor, Porter-Cable Motor Rating: 120V AC, 10A, 23,000 RPM, Includes: Hitachi N5008AC2 Pneumatic Stapler, Hitachi Fastener Type: 16-Gauge, 7/16" Crown Staples, Hitachi Operating Pressure: Approximately 70–120 PSI, Includes: Assorted Hand Tools, Power Tools, Hardware, Shop Supplies & Accessories, Includes: Samuel Packaging Systems 3/4" Heavy-Duty Push-On Seals, Samuel Product Code: 8SG0750P-HD, Includes: Miscellaneous Bins, Containers, Hardware and Shop Items as Pictured, Quantity and condition of individual items should be verified from the actual lot and photos, Disclaimer: The specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items


102



Lot 102: 1 (Qty) Ryobi Saw On Dayton Cart, 1 (Qty) Jet ProShop 10" Tablesaw, 2 Roller Stands And Lumber
1 (Qty) Ryobi Saw On Dayton Cart, 1 (Qty) Jet ProShop 10" Tablesaw, 2 Roller Stands And Lumber, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

Lot #

103


Lot 103: Lot With Garden Tools

Lot With Garden Tools, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

104


Lot 104: Various Shop Items: Central Pneumatic 1in Hammer Air Impact Wrench, Owens Corning Insulation, SKF Mi

Various Shop Items: Central Pneumatic 1in Hammer Air Impact Wrench, Owens Corning Insulation, SKF Mini Pallets, Wheelbarrow, Tin, Werner Ladder, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

105


Lot 105: Industrial Steel Gantry Crane with Anbull H110 2,205 lb Electric Chain Hoist

Manufacturer's Specifications: Equipment Type: Industrial Gantry Crane, Construction: Heavy-Duty Welded Steel, Configuration: Freestanding A-Frame Gantry, Beam Type: Steel I-Beam, Hoist Manufacturer: Anbull, Hoist Model: H110, Hoist Type: Electric Mini Chain Hoist, Rated Hoist Capacity: 1,000 kg / Approximately 2,205 lbs., Chain Size: 6.3 mm, Chain Length: Approximately 19 m / 62 ft., Power Supply: 110V, Phase: Single-Phase, Frequency: 50/60 Hz, Lifting Speed: Approximately 3 m/min, Trolley Configuration: Beam-Mounted, Lifting Method: Chain, General Application: Material Handling, Lifting, Fabrication, Maintenance, and Shop Use, Gantry Span: Verify from actual unit, Gantry Height: Verify from actual unit, Includes: Gantry Frame, I-Beam, Trolley, Anbull H110 Electric Chain Hoist, and Control Components as pictured, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

106


Lot 106: Lot of (22) Heavy-Duty Custom Steel Welding & Fabrication Tables – Various Sizes

TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications: Quantity: 22 Tables, Type: Custom Heavy-Duty Welding / Fabrication Tables, Construction: Welded Steel, Configuration: Fixed Shop / Fabrication Tables, Sizes: Various Sizes, Some Tables Approximate Size: 60" x 120", Other Tables: Smaller / Various Dimensions, Work Surface: Steel, Frame: Heavy-Duty Welded Steel Construction, General Application: Welding, Fabrication, Assembly, Fitting, Material Support, and General Metalworking, Exact dimensions, tabletop thickness, height, and weight vary by unit, Buyer should review all photos and inspect individual tables for exact size and configuration, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items



Lot 107: Miller Welding Package w/ XMT 304 CC/CV Welder, S-22A Wire Feeder & Deltaweld 451

TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications:, Manufacturer: Miller Electric, Includes: (1) Miller XMT 304 CC/CV DC Inverter Arc Welder, Includes: (1) Miller S-22A 24V Constant Speed Wire Feeder, Includes: (1) Miller Deltaweld 451 Constant Voltage DC Welding Power Source, Miller XMT 304 CC/CV, Type: Multiprocess DC Inverter Welding Power Source, Output Range: Approximately 5–400 Amps / 10–35 Volts, Rated Output: Approximately 300 Amps at 60% Duty Cycle, Input Power: Single-Phase or 3-Phase, Processes: MIG, Flux-Cored, Stick, TIG, Pulsed MIG, and Air Carbon Arc Gouging, Approximate Weight: 79.5 lbs., Miller S-22A Wire Feeder, Type: Constant Speed Wire Feeder, Input Power: 24 VAC, 7 Amps, 50/60 Hz, Wire Feed Speed: Approximately 75–750 IPM, Wire Diameter Capacity: Approximately .023"–5/64", Approximate Dimensions: 11" H x 10.75" W x 23.5" D, Approximate Weight: 36 lbs., Miller Deltaweld 451, Type: Constant Voltage DC Welding Power Source, Welding Process: MIG / Flux-Cored, Industrial-Duty Welding Power Source, 3-Phase Input, Designed for High-Output Fabrication and Production Welding, Compatible with Remote Wire Feeders Miller Welds, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items



Lot 108: Miller XMT 304 CC/CV DC Inverter Welder w/ S-22A 24V Wire Feeder

TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications:, Manufacturer: Miller Electric, Includes: (1) Miller XMT 304 CC/CV DC Inverter Arc Welder, Includes: (1) Miller S-22A 24V Constant Speed Wire Feeder, Miller XMT 304 CC/CV, Machine Type: Multiprocess DC Inverter Welding Power Source, Output Type: CC/CV, Welding Processes: MIG, Flux-Cored, Stick, TIG, and Air Carbon Arc Gouging, Output Range: Approximately 5–400 Amps, Rated Output: Approximately 300 Amps at 60% Duty Cycle, Input Power: Single-Phase or 3-Phase, depending on configuration, Remote Control Capability: Yes, Auto-Line Voltage Compensation: Equipped, Approximate Weight: 80 lbs., Miller S-22A Wire Feeder, Machine Type: Constant Speed Wire Feeder, Input Power: 24 VAC, Input Current: Approximately 7 Amps, Frequency: 50/60 Hz, Wire Feed Speed: Approximately 75–750 IPM, Wire Diameter Capacity: Approximately .023"–5/64", Gun Trigger Connection: Equipped, Voltage Control: Equipped, Approximate Weight: 36 lbs., Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items



Lot 109: Miller XMT 304 CC/CV DC Inverter Welder w/ S-22A 24V Wire Feeder

TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications:, Manufacturer: Miller Electric, Includes: (1) Miller XMT 304 CC/CV DC Inverter Arc Welder, Includes: (1) Miller S-22A 24V Constant Speed Wire Feeder, Miller XMT 304 CC/CV, Machine Type: Multiprocess DC Inverter Welding Power Source, Output Type: CC/CV, Welding Processes: MIG, Flux-Cored, Stick, TIG, and Air Carbon Arc Gouging, Output Range: Approximately 5–400 Amps, Rated Output: Approximately 300 Amps at 60% Duty Cycle, Input Power: Single-Phase or 3-Phase, depending on configuration, Remote Control Capability: Yes, Auto-Line Voltage Compensation: Equipped, Approximate Weight: 80 lbs., Miller S-22A Wire Feeder, Machine Type: Constant Speed Wire Feeder, Input Power: 24 VAC, Input Current: Approximately 7 Amps, Frequency: 50/60 Hz, Wire Feed Speed: Approximately 75–750 IPM, Wire Diameter Capacity: Approximately .023"–5/64", Gun Trigger Connection: Equipped, Voltage Control: Equipped, Approximate Weight: 36 lbs., Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items



Lot 110: Miller XMT 304 CC/CV DC Inverter Welder w/ S-22A 24V Wire Feeder

TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications:, Manufacturer: Miller Electric, Includes: (1) Miller XMT 304 CC/CV DC Inverter Arc Welder, Includes: (1) Miller S-22A 24V Constant Speed Wire Feeder, Miller XMT 304 CC/CV, Machine Type: Multiprocess DC Inverter Welding Power Source, Output Type: CC/CV, Welding Processes: MIG, Flux-Cored, Stick, TIG, and Air Carbon Arc Gouging, Output Range: Approximately 5–400 Amps, Rated Output: Approximately 300 Amps at 60% Duty Cycle, Input Power: Single-Phase or 3-Phase, depending on configuration, Remote Control Capability: Yes, Auto-Line Voltage Compensation: Equipped, Approximate Weight: 80 lbs., Miller S-22A Wire Feeder, Machine Type: Constant Speed Wire Feeder, Input Power: 24 VAC, Input Current: Approximately 7 Amps, Frequency: 50/60 Hz, Wire Feed Speed: Approximately 75–750 IPM, Wire Diameter Capacity: Approximately .023"–5/64", Gun Trigger Connection: Equipped, Voltage Control: Equipped, Approximate Weight: 36 lbs., Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items



Lot 111: Miller XMT 304 CC/CV DC Inverter Welder w/ (2 qty) S-22A 24V Wire Feeders

2 (Qty) Miller S-22A 24v Constant Speed Wire Feeder , 1 (Qty) Miller XMT 304 CC/CV DC Inverter Arc Welder , Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

112



Lot 112: Lincoln Electric Weld-Pak 125HD Welder w/ Assorted Power Tools & Husky Light Stand

Manufacturer's Specifications; Manufacturer: Lincoln Electric, Model: Weld-Pak 125HD, Product Number: K2513-1, Machine Type: Wire Feeder / Flux-Cored Welder, Welding Process: Self-Shielded Flux-Cored Welding, Input Power: 120V, Single-Phase, 60 Hz, Input Current at Rated Output: 20 Amps, Rated Output: 90 Amps / 19 Volts @ 20% Duty Cycle, Output Range: 30–125 Amps, Wire Feed Speed Range: 50–500 IPM, Maximum Open Circuit Voltage: 33V, Compatible Wire Diameter: Approximately .025"–.035", Standard Flux-Cored Wire: .035" Innershield, Approximate Dimensions: 13.7" H x 10.15" W x 17.9" D, Approximate Weight: 49 lbs., Serial Number: M3080409794, Located Offsite, Buyer Responsible For Loading, Rigging And Removal Of ALL Items

113



Lot 113: Various Shop Items: Banding Wheel and Tools, Pallet Jack/Pallets, Echo Backpack Sprayer, Motors, Ele

Various Shop Items: Banding Wheel and Tools, Pallet Jack/Pallets, Echo Backpack Sprayer, Motors, Electrical Boxes, Chairs, Located Offsite, Buyer Responsible For Loading, Rigging And Removal Of ALL Items

114



Lot 114: Axis Intl Omega 6' x 12' CNC Plasma Cutting Table w/ Hypertherm HySpeed HSD130 & ArcGlide THC

TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications; Manufacturer: Axis International Inc., Model: 20-OMEGA 6X12 WT, Machine Type: CNC Plasma Cutting Table, Table Size: Approximately 6' x 12', CNC Cutting Area: Approximately 72" x 144", Control Voltage: 120 VAC, Plasma Power Supply Voltage: 480 VAC, Phase: 3-Phase, Plasma Power Supply: Hypertherm HySpeed HSD130, Plasma Cutting Output Range: 45–130 Amps, Mild Steel Dross-Free Capacity: Up to Approximately 5/8", Mild Steel Production Pierce Capacity: Up to Approximately 1", Mild Steel Severance Capacity: Up to Approximately 1-1/2", Stainless Steel Production Pierce Capacity: Up to Approximately 3/4", Stainless Steel Severance Capacity: Up to Approximately 1", Aluminum Production Pierce Capacity: Up to Approximately 3/4", Aluminum Severance Capacity: Up to Approximately 1", Mild Steel Cutting Speed at 1/2": Approximately 80 IPM at Highest Output Current, Torch Height Control: Hypertherm ArcGlide THC, ArcGlide Function: Automatic Torch Height Control Using Arc Voltage, ArcGlide Lifter: Equipped, ArcGlide Lifter Part Number: 090086, Serial Number: AXI20201311THDE0173, General Application: CNC plasma cutting of mild steel, stainless steel, aluminum, and other conductive metals, Hypertherm lists the HSD130 at 45–130 amps, with up to 1" mild-steel production piercing and 1-1/2" severance capacity. The ArcGlide THC is an automatic voltage-sensing torch-height-control system designed for X-Y plasma cutting tables., Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite, Buyer Responsible For Loading, Rigging And Removal Of ALL Items, Buyer Must Disconnect

115



Lot 115: Hypertherm Plasma Consumables, Copper Fittings & Shop Supplies w/ Storage Cabinet

TO BE SOLD PENDING SELLER CONFIRMATION, Specifications; Lot Type: Mixed Plasma Cutting Consumables, Fittings & Shop Supplies, Includes: Large Quantity of Hypertherm Plasma Consumables, Hypertherm Items Include: Retaining Caps, Nozzles, Electrodes, Shields and Related Torch Consumables, Visible Hypertherm Part Numbers Include: 220578 and other assorted part numbers, Compatible Application: Hypertherm Plasma Cutting Systems, Includes: Copper State Bolts & Nuts Co. Industrial Fittings / Components, Includes: Assorted Copper and Metal Fittings, Includes: Storage Bins and Boxes of Consumables, Includes: Miscellaneous Shop Supplies, Includes: Metal Storage Cabinet, Quantity: Large Mixed Lot, Exact quantities, part numbers, compatibility, and condition vary by item, Buyer should review all photos for contents and quantities included, Disclaimer: The specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite, Buyer Responsible For Loading, Rigging And Removal Of ALL Items

116



Lot 116: 2004 Accurpress 732012 320-Ton x 12' Hydraulic Press Brake

TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications; Manufacturer: Accurpress, Model: 732012, Year: 2004, Machine Type: Hydraulic Press Brake, Pressing Capacity: 320 Tons, Bed / Ram Length: 12' / 144", Distance Between Housings: Approximately 124", Throat Depth: Approximately 10", Stroke: Approximately 8", Open Height: Approximately 16"–18", depending on configuration, Closed Height: Approximately 8", Bed Height: Approximately 36", Ram Approach Speed: Approximately 60–65 IPM, Forming Speed: Approximately 16–19 IPM, Return Speed: Approximately 112–140 IPM, Main Motor: Approximately 30–40 HP, depending on configuration, Approximate Dimensions: 150" L x 70" W x 102" H, Approximate Weight: 33,000–35,000 lbs., General Application: Heavy plate and sheet metal forming, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite, Buyer Responsible For Loading, Rigging And Removal Of ALL Items - forklift may be available

117



Lot 117: Large Lot of CNC Mill & Press Brake Tooling, Dies, Holders, Inserts & Storage Cabinets

TO BE SOLD PENDING SELLER CONFIRMATION, Specifications; Lot Type: Mixed CNC Mill Tooling, Machining Accessories & Press Brake Tooling, Includes: Assorted CNC Mill Tooling, Includes: Tool Holders, Collet Holders & Arbors, Includes: Boring Tools / Boring Bars, Includes: End Mills, Drills, Reamers & Related Cutting Tools, Includes: Carbide Inserts & Small Tooling Components, Includes: Machined Bushings, Sleeves, Spacers & Accessories, Includes: Assorted Press Brake Dies, Includes: Press Brake Punches / Upper Tooling, Includes: Long-Length Forming Dies, Includes: Short / Sectional Press Brake Tooling, Includes: Tooling Blocks, Setup Pieces & Accessories, Includes: Metal Work Table / Tooling Rack / Miscellaneous Tools, Includes: Large Steel Storage Cabinet, Includes: Assorted Storage Bins, Tooling Sizes, Profiles & Configurations: Various, General Application: CNC Milling, Machining, Boring, Drilling, Metal Forming, Bending & Fabrication, Exact quantities, dimensions, brands, part numbers and compatibility vary by item, Buyer should review all photos for contents and quantities included, Disclaimer: The specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite, Buyer Responsible For Loading, Rigging And Removal Of ALL Items

118



Lot 118: 2012 HAAS VF-2 CNC Vertical Machining Center – 30" x 16" x 20" Travels

TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications:, Manufacturer: HAAS Automation, Model: VF-2, Year: 2012, Serial Number: 1092691, Machine Type: CNC Vertical Machining Center, Axis Configuration: 3-Axis, X-Axis Travel: 30", Y-Axis Travel: 16", Z-Axis Travel: 20", Table Size: Approximately 36" x 14", Maximum Table Load: Approximately 3,000 lbs., Spindle Taper: 40 Taper, Spindle Speed: Approximately 7,500–8,100 RPM, depending on configuration, Spindle Motor: Approximately 20 HP on comparable 2012 VF-2 machines, Tool Changer Capacity: Approximately 20 tools, Maximum Tool Diameter: Approximately 3.5", Maximum Tool Weight: Approximately 12 lbs., Rapid Traverse Rate: Approximately 1,000 IPM on X, Y, and Z axes, Maximum Cutting Feed Rate: Approximately 650 IPM, Coolant Capacity: Approximately 55 gallons, Voltage: 195–260 VAC, Phase: 3-Phase, Frequency: 50/60 Hz, Full Load: 80 Amps, Largest Load: 70 Amps, Approximate Machine Weight: 7,500–7,800 lbs., Made in USA, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal OF ALL Items , Buyer Must Disconnect - forklift may be available

119



Lot 119: 2006 Webb Champ 5VKF Vertical Milling Machine – 5 HP, #40 Taper

TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications:, Manufacturer: WEBB, Series: Champ, Model: 5VKF, MFG No.: 9510804, Year: 2006, Machine Type: Vertical knee milling machine, Spindle Motor: 5 HP, Spindle Taper: #40 / NMTB-40 family, Quill Travel: Approximately 5.5"–6", Knee Travel: Approximately 17.5"–19", Ram Travel: Approximately 24"–27", Table Size: Approximately 10" x 54", Electrical: Approximately 220/440V, 3-phase, Variable-speed head, Approximate Weight: 3,000–3,800 lbs., depending on configuration, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal OF ALL Items - forklift will be available

120



Lot 120: Rotary Welding Positioner, Fixtures, Bushings, Hardware & Assorted Tools w/ Steel Work Table

Specifications:, Lot Type: Welding, Fabrication & Shop Tooling Lot, Includes: Bench-Top Rotary Welding Positioner, Positioner Type: Motorized Rotary Chuck / Welding Positioner, Includes: Foot Pedal Control, Includes: Speed Control, Includes: Chuck / Workholding Fixture, Includes: Assorted Fabrication Fixtures, Includes: Machined Rings, Sleeves & Bushings, Includes: Assorted Nuts, Bolts, Hardware & Metal Components, Includes: Storage Bins, Includes: Miscellaneous Tooling & Accessories, Includes: Heavy-Duty Steel Plate Work Table, Table Construction: Welded Steel, General Application: Welding, Fabrication, Positioning, Assembly & General Metalworking, Exact table dimensions, positioner capacity, speed range, voltage and quantities should be verified from the actual equipment, Disclaimer: The specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal OF ALL Items

121



Lot 121: Gorton Manual Vertical Knee Milling Machine – 14-Speed Spindle w/ Power Feed

Manufacturer's Specifications:, Manufacturer: George Gorton Machine Co., Machine Type: Manual Vertical Knee Milling Machine, Configuration: Vertical Knee Mill, Spindle Speeds: 14 Speeds with 2-Speed Motor, High-Range Spindle Speeds: 500, 830, 1,220, 1,960, 2,460, 3,300 & 4,000 RPM, Low-Range Spindle Speeds: Approximately 250, 415, 610, 980, 1,230, 1,650 & 2,000 RPM, Maximum Spindle Speed: 4,000 RPM, Power Feed Gearbox: Equipped, Table: T-Slotted Milling Table, Knee: Vertically Adjustable, Saddle: Cross-Travel Configuration, Spindle Feed: Manual / Power Feed Configuration, Lubrication: Centralized Manufacturer-Specified Lubrication Points, Electrical Panel Rating Shown: 440V, 3-Phase, 60 Hz, Maximum Horsepower Rating Shown: 4 HP, General Application: Milling, Drilling, Boring, Slotting & General Machine Shop Work, Includes: Tooling / Accessories Shown in Photos, Gorton documentation confirms its manual vertical mills used belt-selected spindle speeds and, when equipped with a two-speed motor, provided high/low speed ranges., Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal OF ALL Items

122



Lot 122: Delta 17-900 16-1/2" Floor Model Drill Press – 3/4 HP, 12-Speed

Manufacturer's Specifications:, Manufacturer: Delta, Model: 17-900, Machine Type: Floor Model Drill Press, Drill Press Size: 16-1/2", Motor: 3/4 HP, Motor Speed: 1,720 RPM, Motor Voltage: 115/230V, Phase: Single-Phase, Frequency: 60 Hz, Motor Amperage: 12/6 Amps, Spindle Speeds: 12, Chuck Capacity: Up to 5/8", Table: Adjustable Work Table, Table Adjustment: Raise / Lower, Rotate and Tilt, Depth Stop: Adjustable, Base: Floor-Mount Configuration, General Application: Drilling, Boring, Reaming and General Shop / Fabrication Work, Serial Number: R9451, Delta's manual identifies the 17-900 as a 16-1/2" floor-model drill press with 12 spindle speeds and compatibility with tooling having shanks up to 5/8". , Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal OF ALL Items

- 123  **Lot 123: Delta 14-070 14" Floor Drill Press – 1/2 HP, 12-Speed, 115/230V**
Auction Title: Delta 14-070 14" Floor Drill Press – 1/2 HP, 12-Speed, 115/230V, Manufacturer's Specifications; Manufacturer: Delta, Model: 14-070, Machine Type: Floor Drill Press, Drill Press Size: 14", Motor: 1/2 HP, Motor Speed: 1,720 RPM, Voltage: 115/230V, Phase: Single-Phase, Frequency: 60 Hz, Motor Amperage: 8/4 Amps, Spindle Speeds: 12, Spindle Speed Range: 250–3,000 RPM, Spindle Speeds: 250, 360, 410, 540, 590, 650, 1,090, 1,280, 1,450, 1,820, 2,180 & 3,000 RPM, Chuck Capacity: 0–5/8", Table Size: Approximately 11.5" x 11.5", Table: Tilting and Height Adjustable, Quill Stroke: Approximately 3-3/8", Maximum Chuck-to-Table Distance: Approximately 27", Maximum Chuck-to-Base Distance: Approximately 45-3/4", Approximate Overall Height: 64.5", Approximate Weight: 156.5 lbs., General Application: Drilling, Boring, Reaming and General Shop / Fabrication Work, Delta documentation identifies the 14-070 as a 14" floor drill press with a 1/2 HP motor, 12 spindle speeds from 250 to 3,000 RPM, and a 0–5/8" chuck capacity. , Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 126  **Lot 126: (2) Shelves w/ SKF & Timken Bearings, Kingpins, Rollers, Hardware & Assorted Parts**
Specifications: Quantity: (2) Shelves, Includes: SKF Bearings, Includes: Timken Bearings, Includes: Aluminum / Metal Bearing Components, Includes: Assorted Kingpins, Includes: Assorted Rollers, Includes: Machined Flanges, Bushings, Spacers & Circular Components, Includes: Copper State Bolt & Nut Hardware, Includes: Assorted Nuts, Bolts, Fasteners & Related Hardware, Includes: Parts Storage Bins, Quantities, sizes, part numbers and applications vary throughout the lot, Buyer should review all photos for exact contents and quantities, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 127  **Lot 127: Lockers, Rag Bins and Contents Inside**
Lockers, Rag Bins and Contents Inside, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 128  **Lot 128: Various Shop Items: Ratcheting Come-A-Long, Wheel Chocks, Straps, Motors, Pneumatic Auto Body Spread**
Various Shop Items: Ratcheting Come-A-Long, Wheel Chocks, Straps, Motors, Pneumatic Auto Body Spreader, Motors, , Lot Note: Shopvac NOT included, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 129  **Lot 129: Various Shop Items: CNC Machine Parts, Electric Power Tools, Hand Tools, Welding Helmet/Supplies, Cl**
Various Shop Items: CNC Machine Parts, Electric Power Tools, Hand Tools, Welding Helmet/Supplies, Cleaning Supplies, Safety Marking Supplies, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 130  **Lot 130: Various Shop Items: Chemical Cabinet, Shelving with Conveyor Parts, CNC Cutting Instruments, Welding**
Various Shop Items: Chemical Cabinet, Shelving with Conveyor Parts, CNC Cutting Instruments, Welding Gear, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 131  **Lot 131: 2007 Quincy QT-15 15 HP 120-Gallon Horizontal Air Compressor – 230V, 3-Phase**
TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications; Manufacturer: Quincy Compressor, Model: QT-15, Model Number: QT15ST00102, Serial Number: 20070905-0034, Year: 2007, Machine Type: Stationary Reciprocating Air Compressor, Horsepower: 15 HP, Tank Capacity: 120 Gallons, Tank Configuration: Horizontal, Compressor Type: Two-Stage Reciprocating, Pump Configuration: 4-Cylinder, V-Type, Lubrication: Splash Lubricated, Voltage: 230V, Phase: 3-Phase, Maximum Working Pressure: Approximately 175 PSI, Air Delivery: Approximately 51 CFM @ 175 PSI, Air Delivery: Approximately 54 CFM @ 90 PSI, Pump Speed Range: Approximately 600–1,150 RPM, Air Outlet Size: Approximately 1" NPT, Approximate Dimensions: 78" L x 28" W x 55" H, Approximate Weight: 1,100–1,135 lbs., Industrial-Duty Electric Motor, Horizontal ASME Air Receiver Tank , Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items - forklift may be available
- 132  **Lot 132: 1 (Qty) Dake H Frame Hydraulic Press , 1 (Qty) Corrugated Pipe Extrusion Machine & Misc Tools**
TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications; Manufacturer: Dake, Machine Type: H-Frame Hydraulic Shop Press, Frame Configuration: Heavy-Duty Steel H-Frame, Operation: Hydraulic, Pressing Ram: Center-Mounted Hydraulic Ram, Adjustable Bed: Yes, Bed Adjustment: Multiple Height Positions, Power Source: Electric / Hydraulic Power Unit, General Application: Pressing, Bending, Straightening, Forming, Bearing Removal/Installation, and General Fabrication Work, Construction: Heavy-Duty Welded Steel Frame, Includes: Corrugated Pipe Extrusion Machine, Includes: Miscellaneous Shop Tools and Accessories, Exact press tonnage, motor horsepower, voltage, and hydraulic specifications should be verified from the machine data plate, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 133  **Lot 133: Various Shop Items w/ CNC Machine Parts, Drill Bits, Taps, Letter Stamps, Tooling & Parts Shelves**
Specifications: Lot Type: Mixed Shop Tooling, Machine Parts & Industrial Supplies, Includes: Assorted CNC / Machine Shop Parts, Includes: Drill Bits & Large-Diameter Drills, Includes: Taps, including assorted spiral-point and bottoming taps, Includes: Steel Shim Stock, Includes: Letter / Number Stamp Sets, Includes: Machined Bushings, Sleeves, Rings & Spacers, Includes: Assorted Fixtures, Clamps & Tooling Components, Includes: Measuring Tools / Gauges, Includes: Oil / Lubricant Containers & Funnels, Includes: Assorted Hardware & Fasteners, Includes: Parts Bins, Cabinets & Shelving, Includes: Miscellaneous Shop Lights / Electrical Accessories, Includes: Various metal stock and machined components, Exact quantities, sizes, brands, part numbers and applications vary throughout the lot, Buyer should review all photos for exact contents and quantities included, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items



Lot 134: 2006 Kent USA ML-2060 Manual Precision Lathe – 20" Swing, 60" Class
 TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications:, Manufacturer: Kent USA / Kent Industrial U.S.A., Inc., Model: ML-2060, Production Date: 2006.4, Machine Type: Manual Precision Lathe, Swing Over Bed: 20", Distance Between Centers: Approximately 60", Spindle Bore: Approximately 3", Spindle Nose: D1-8, Spindle Bore Taper: MT #5, Spindle Speeds: 12, Spindle Speed Range: Approximately 26–1,500 RPM, Main Motor: Approximately 10 HP on comparable current MLX-2060T models, Cross Slide Travel: Approximately 12", Top Slide Travel: Approximately 4.75", Tailstock Quill Travel: Approximately 5", Tailstock Quill Taper: MT #4, Longitudinal Feed Range: Approximately 0.0015"–0.04" per revolution, Cross Feed Range: Approximately 0.00075"–0.02" per revolution, Machine Weight: Approximately 4,560 lbs on comparable MLX-2060T models, Construction: Heavy-duty cast iron base, General Application: Precision turning, threading, shaft work, repair work, and general machine shop use, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items - forklift may be available



Lot 135: Shop Workstation w/ Assorted Taps, Dies, Drill Bits, Tooling, Abrasives & Machined Parts
 Specifications:, Lot Type: Mixed Machine Shop Tooling & Workstation, Includes: Metal Rolling Tool Cabinet / Workstation, Includes: Assorted Taps, Includes: Assorted Threading Dies, Includes: Tap Handles & Related Threading Tools, Includes: Drill Bits & Large-Diameter Cutting Tools, Includes: Reamers / Cutting Tools, Includes: Assorted Machining Tooling & Tool Holders, Includes: Machined Bushings, Sleeves, Rings & Spacers, Includes: Assorted Abrasive Belts, Includes: Allen / Hex Key Sets, Includes: Fixtures, Clamps & Workholding Components, Includes: Assorted Hardware & Shop Accessories, Includes: Additional Rolling Work Table / Cart, Exact quantities, sizes, brands and applications vary by item, Buyer should review all photos for exact contents and quantities, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items



Lot 136: Cadillac Heavy-Duty Gap Bed Manual Engine Lathe w/ 3-Jaw Chuck, Steady Rest & Tailstock
 TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications:, Manufacturer: Cadillac, Machine Type: Manual engine lathe / gap-bed lathe, Configuration: Heavy-duty geared-head manual lathe, Bed Type: Removable gap bed, Chuck: 3-jaw chuck installed, Tailstock: Included, Steady Rest: Included, Carriage: Manual carriage with longitudinal and cross feeds, Lead Screw: Equipped for threading operations, Feed Rod: Equipped, Headstock: Geared-speed headstock, Approximate Swing Class: 17"–22", based on comparable Cadillac industrial gap-bed lathes, Comparable Cadillac machines were offered in configurations such as 17" x 60", 17" x 80", 19" x 60", and 22" x 60", Comparable 17" Cadillac models have approximately 24" swing through the gap, Comparable 22" Cadillac 2260G models have approximately 31" swing through the gap, 2" spindle bore, and spindle speeds of approximately 25–1,500 RPM, Industrial manual turning applications include shafts, bushings, threaded components, large-diameter workpieces, repair work, and general machine-shop use, Equipped with Morse Raider speed-reduction drive component; data plate shown indicates 40:1 reduction ratio, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items , Buyer Must Disconnect



Lot 137: 2016 HAAS ST-30 CNC Turning Center – 10" Chuck, 3" Bar Capacity, 30 HP
 TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications:, Manufacturer: HAAS Automation, Model: ST-30, Year: 2016, Serial Number: 3104562, Machine Type: CNC Turning Center / CNC Lathe, Chuck Size: 10", Bar Capacity: 3.0", Maximum Part Swing: Approximately 31.75" on previous-generation ST-30 models, Maximum Cutting Diameter: Approximately 21", Maximum Cutting Length: Approximately 26", X-Axis Travel: Approximately 12.75", Z-Axis Travel: Approximately 26", Spindle Nose: A2-6, Maximum Spindle Speed: 3,400 RPM, Spindle Power: 30 HP, Spindle Bore: Approximately 3.5", Turret Capacity: 12 Stations, Coolant Capacity: Approximately 55 Gallons, Voltage: 220 VAC, Phase: 3-Phase, Frequency: 50/60 Hz, Full Load: 70 Amps, Largest Load: 65 Amps, Approximate Machine Footprint: 121" x 79" x 83", Made in USA, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items , Buyer Must Disconnect



Lot 138: 2008 HAAS SL-40 CNC Turning Center – 15" Chuck, 4" Bar Capacity, 55 HP
 TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications:, Manufacturer: HAAS Automation, Model: SL-40, Year: 2008, Serial Number: 3081272, Machine Type: CNC Turning Center / CNC Lathe, Axis Configuration: 2-Axis, Swing: Approximately 40", Maximum Turning Diameter: Approximately 25.5", Maximum Machining Length: Approximately 51", Chuck Size: Approximately 15", Bar Capacity: Approximately 4", Spindle Speed: Up to Approximately 2,400 RPM, Spindle Motor: Approximately 55 HP, Tailstock: Yes, Control: HAAS CNC, Voltage: 208/230 VAC, Phase: 3-Phase, Frequency: 50/60 Hz, Full Load: 150 Amps, Largest Load: 105 Amps, Short Circuit Interrupting Capacity: 10,000 Amps, Made in USA, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items - forklift may be available

- 139  **Lot 139: Shop Workstation With Various Drill Bits and Parts**
Shop Workstation With Various Drill Bits and Parts, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 140  **Lot 140: 2006 HAAS SL-30T CNC Turning Center – 10" Chuck, 3" Bar Capacity, 30 HP**
TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications:, Manufacturer: HAAS Automation, Model: SL-30T, Year: 2006, Serial Number: 3075510, Machine Type: CNC Turning Center / CNC Lathe, Chuck Size: 10", Bar Capacity: 3", Maximum Swing: Approximately 30", Maximum Cutting Diameter: Approximately 17", Maximum Turning Length: Approximately 34", Distance Between Centers: Approximately 39", X-Axis Travel: Approximately 11.3", Z-Axis Travel: Approximately 34", Spindle Speed: Up to 3,400 RPM, Spindle Motor: Approximately 30 HP, Spindle Nose: A2-6, Spindle Bore: Approximately 3.5", Turret Capacity: 12 Stations, Tailstock: Yes, Rapid Traverse Rate: Approximately 710 IPM, Voltage: 208/230 VAC, Phase: 3-Phase, Frequency: 50/60 Hz, Full Load: 80 Amps, Largest Load: 70 Amps, Approximate Machine Weight: 13,900–16,000 lbs., depending on configuration, Made in USA, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 141  **Lot 141: Various CNC Machine Parts, Hand Tools, Come-Alongs, Extension Cords & Metal Stock**
Specifications:, Lot Type: Mixed Machine Shop Parts, Tools & Industrial Supplies, Includes: Everything on Shelves, Includes: Assorted CNC / Machining Components, Includes: Machined Bushings, Sleeves, Spacers & Cylindrical Components, Includes: Metal Stock & Cut Blanks, Includes: Assorted Hand Tools, Includes: Come-Alongs / Manual Pulling Equipment, Includes: Extension Cords & Electrical Accessories, Includes: Assorted Hardware & Fasteners, Includes: Parts Bins & Storage Containers, Includes: Multiple Wooden Crates of Machined Components, Includes: Industrial Shelving / Storage Racks, Sizes, quantities and configurations vary throughout the lot, Buyer should review all photos for exact contents and quantities, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 142  **Lot 142: Lot With Mobile Coolers , Rolling Table And Pallets With Conveyor Table Parts**
Lot With Mobile Coolers , Rolling Table And Pallets With Conveyor Table Parts , Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 143  **Lot 143: Various Shop Items: Profile Discs, Bolts and Nuts**
Various Shop Items: Profile Discs, Bolts and Nuts, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 144  **Lot 144: Welding Cabinet with Gear and Supplies**
Welding Cabinet with Gear and Supplies, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 145  **Lot 145: Rack w/ Assorted Machine Pins, Brackets, Bushings, Blocks & Fabricated Parts**
Specifications:, Quantity: (1) Storage Rack, Includes: Assorted Machine Pins, Includes: Assorted Steel Bushings / Sleeves, Includes: Machined Blocks with Multiple Bore Patterns, Includes: Fabricated Steel Brackets, Includes: Mounting Plates, Includes: Assorted Spacers, Guides & Machine Components, Includes: Miscellaneous Hardware & Small Parts, Includes: Plastic Parts Bins / Storage Containers, Includes: Various Long Pins / Shafts, Sizes, quantities, part numbers and applications vary throughout the lot, Everything shown on the rack is included, Buyer should review all photos for exact contents and quantities, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 146  **Lot 146: National Sheet Metal Machine Model U4812 w/ Assorted Drums of Grease & Oil**
Specifications:, Manufacturer: National Sheet Metal Machine, Model: U4812, Machine Type: Manual Sheet Metal Brake / Folding Machine, Includes: Assorted Drums / Barrels of Grease & Oil, Includes: Assorted Lubricants and Shop Fluids, Includes: Pallets shown with lot, Machine and fluid quantities should be verified from photos, Buyer should review all photos for exact contents and quantities, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 147  **Lot 147: Large Lot of Conveyor Rollers, Kingpins, Precision Rods, Brackets, Hardware & Machine Parts**
Specifications:, Includes: Assorted Conveyor Rollers, Includes: Assorted Kingpins / Shafts, Includes: Precision Ground Rods, Includes: Steel Round Stock, Includes: Machined Flanges, Bushings & Hubs, Includes: Fabricated Steel Brackets & Frames, Includes: Assorted Nuts, Bolts, Fasteners & Hardware, Includes: Miscellaneous Machined Components, Includes: Parts Bins, Boxes & Storage Containers, Includes: Assorted Palletized Components, Quantities, sizes, part numbers and applications vary throughout the lot, Everything shown on the pallets / in the photographed lot is included, Buyer should review all photos for exact contents and quantities, Disclaimer: The specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items
- 148  **Lot 148: (6 Qty) Pallets of Steel Beams, Brackets, Bolt and Nuts, Wiring and Cables (3 Qty) Racks with Steel (6 Qty) Pallets of Steel Beams, Brackets, Bolt and Nuts, Wiring and Cables (3 Qty) Racks with Steel Brackets, Plates, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items**
- 149  **Lot 149: (11 Qty) Pallets of Steel Beams, Brackets, Pipes, Shop Tools, (1 Qty) Rack with Steel Brackets (1 Qty) Pallet Jack, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items**

150



Lot 150: (2 Qty) Air Compressors w/ Assorted Steel Brackets, Fabricated Parts & Pallets

Specifications:, Quantity: (2) Air Compressors, Includes: Speedaire Portable Air Compressor, Includes: Additional Horizontal-Tank Air Compressor, Includes: Honda GX-Series Gas Engine on Speedaire Unit, Includes: Assorted Fabricated Steel Brackets, Includes: Slotted Steel Plates, Includes: Steel Tubing / Cylindrical Components, Includes: Miscellaneous Machined & Fabricated Parts, Includes: Assorted Parts Bins / Containers, Includes: Wooden Pallets shown with lot, Models, capacities, horsepower and operating condition should be verified by buyer, Quantities, sizes and applications vary throughout the lot, Buyer should review all photos for exact contents and quantities, Disclaimer: Specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Lot Note: Wood stove NOT included, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

151



Lot 151: Lincoln Electric Ranger 10,000 Plus Engine-Driven Welder/Generator – 225A AC / 210A DC with Wheelbar

TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications:, Manufacturer: Lincoln Electric, Model: Ranger 10,000 Plus, Product Number: K1419-5, Code Number: 11394, Serial Number: U1070600440, Machine Type: Engine-Driven Welder / AC Generator, Engine: Kohler Command CH23S, Engine Type: 2-Cylinder, 4-Cycle, Air-Cooled Gasoline, Engine Output: 23 HP @ 3,600 RPM, Fuel Capacity: 9 Gallons, Welding Processes: Stick, TIG, MIG, Flux-Cored, Gouging, AC Constant Current Output: 225A / 25V @ 100% Duty Cycle, DC Constant Current Output: 210A / 25V @ 100% Duty Cycle, DC Constant Voltage Output: 200A / 20V @ 100% Duty Cycle, AC Welding Range: 50–225 Amps, DC Welding Range: 50–210 Amps, CV Output Range: 15–25 Volts, Generator Output: 9,000 Watts Continuous, Peak Generator Output: 10,500 Watts, Auxiliary Power: 120/240V, Single-Phase, 60 Hz, Approximate Dimensions: 30.3" H x 19.1" W x 42" D, Approximate Weight: 502 lbs., Electric Start, 12V Battery Starting System ch-delivery.lincolnelectric.com, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

152



Lot 152: (30) Pallets of Steel Pipes, Tubing, Brackets & Fabricated Parts w/ Heavy-Duty Steel Work Table

Specifications:, Quantity: Approx. (30) Pallets, Includes: Assorted Round Steel Pipe / Tubing, Includes: Square & Rectangular Steel Tubing, Includes: Assorted Steel Brackets, Includes: Fabricated Steel Plates & Components, Includes: Assorted Roller / Cylindrical Components, Includes: Steel Rods & Shafts, Includes: Machined & Fabricated Steel Parts, Includes: (1) Heavy-Duty Fabricated Steel Work / Support Table, Includes: Wooden Pallets shown with lot, Sizes, dimensions, quantities and applications vary throughout the lot, Buyer should review all photos for exact contents and quantities, Disclaimer: Specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

153



Lot 153: (6) Pallets of Heavy-Duty Rubber-Coated Conveyor Rollers / Idler Assemblies

Specifications:, Quantity: (6) Pallets, Includes: Heavy-Duty Conveyor Rollers, Includes: Idler Roller Assemblies, Includes: Rubber-Coated / Elastomer-Coated Roller Sections, Includes: Steel Inner Sleeves / Hubs, Includes: Various Roller Diameters and Lengths, Includes: Multiple Configurations and Sizes, Industrial conveyor / material-handling type components, Quantities, dimensions and applications vary throughout the lot, Buyer should review all photos for exact contents and quantities, Disclaimer: Specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

154



Lot 154: (6 Qty) Lanes of Various Steel Pipes, Beams, Rods, Bearings, Nuts, Brackets

(6 Qty) Lanes of Various Steel Pipes, Beams, Rods, Bearings, Nuts, Brackets, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

155



Lot 155: (1 Qty) Large Industrial Radiator with Various Steel Pipe Pieces and Tools *All VERTICAL Piping*

(1 Qty) Large Industrial Radiator with Various Steel Pipe Pieces and Tools All VERTICAL Piping, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

156



Lot 156: Mubea HPSN 750 Ironworker Machine

Manufacturer's Specifications:, Model / Size: HPSN 750, Type: Ironworker Machine, Serial No.: 0157785 422 571, Includes: Punching Station, Includes: Shearing / Cutting Station, Includes: Notching / Fabrication Functions, Heavy-Duty Industrial Steel Fabrication Machine, North American Distributor: E.G. Heller's Son, Inc., Visible wear, surface oxidation and signs of industrial use, Buyer should review all photos for exact condition, configuration and included tooling, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

157



Lot 157: Toolbox and Rack with Various Kingpins, Pipes, Steel Plates, Rollers, Carts,

Toolbox and Rack with Various Kingpins, Pipes, Steel Plates, Rollers, Carts, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

158



Lot 158: Pipe Racking System

Pipe Racking System, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

159



Lot 159: Steel Conveyor Roller System with Pipes and Solid Steel Rods up to 4"x20'

Steel Conveyor Roller System with Pipes and Solid Steel Rods up to 4"x20', Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

160



Lot 160: HYD-MECH H-10A Automatic Horizontal Bandsaw – 10" x 10" Capacity, 5 HP

TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications:, Manufacturer: HYD-MECH, Model: H-10A, Serial Number: HSA1007150, Machine Type: Fully Automatic Horizontal Bandsaw, Cutting Capacity, Round: 10", Cutting Capacity, Rectangular: 10" x 10", Blade Size: 1.25" x 12'6", Blade Thickness: Approximately .042", Blade Speed: Approximately 50–350 SFM, Blade Drive Motor: 5 HP, Hydraulic Motor: Approximately 1 HP, Automatic Shuttle Feed: Approximately 0–24", Multi-Indexing: Equipped, Blade Guides: Carbide Inserts, Coolant System: Equipped, Hydraulic Clamping / Vise System: Equipped, Chip Auger: Equipped on comparable H-10A models, Control: Programmable Automatic Control, Voltage: 240V, Phase: 3-Phase, Frequency: 60 Hz, Full Load Amperage: 23.5 Amps, Approximate Dimensions: 83" L x 68" W x 67" H, Approximate Weight: 3,500 lbs. , Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

164



Lot 164: Pipe Rack With Various Solid Steel Rods *SQUARE PIPING NOT INCLUDED*

Pipe Rack With Various Solid Steel Rods SQUARE PIPING NOT INCLUDED, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

165



Lot 165: (13) Pallets of Steel Tubing, Conveyor Rollers, Round Stock & Painting Supplies

Specifications:, Quantity: (13) Pallets, Includes: Assorted Steel Rectangular Tubing, Includes: Assorted Round Steel Pipe / Tubing, Includes: Multiple Conveyor / Material Handling Rollers, Includes: Blue-Capped Roller Assemblies, Includes: Assorted Steel Round Stock, Includes: Misc. Fabricated Steel Components, Includes: Assorted Paint Cans, Coatings & Painting Supplies, Includes: Misc. Shop Materials Shown, Sizes, lengths, quantities and configurations vary throughout the lot, Buyer should review all photos for exact contents and quantities, Disclaimer: Specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

161



Lot 161: Marvel Spartan PA360EPC/2 Automatic Horizontal Bandsaw – 14" Capacity

TO BE SOLD PENDING SELLER CONFIRMATION, Manufacturer's Specifications:, Manufacturer: Marvel Manufacturing Co., Inc., Series: Spartan, Model: PA360EPC/2, Machine Type: Automatic Horizontal Bandsaw, Cutting Capacity: Approximately 14" x 14", Round Capacity: Approximately 14", Operation: Automatic, Blade Speed: Variable, Hydraulic Feed System, Hydraulic Vise / Clamping System, Automatic Material Feed / Indexing, Coolant System, Control Console with Push-Button Controls, Voltage: 460V, Phase: 3-Phase, Frequency: 60 Hz, Full Load Amperage: 11.0 Amps, Largest Motor FLA: 6.7 Amps, Short Circuit Current Rating: 5 kA RMS Symmetrical, Maximum Voltage Rating: 460V, Serial Number: EPA360-305EPC, Comparable Marvel Spartan PA360 EPC machines are listed with approximately 14" x 14" rectangular cutting capacity. , Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items - forklift may be available

166



Lot 166: (14) Pallets of Threaded Steel Roller Shafts / Conveyor Pins

Specifications:, Quantity: (14) Pallets, Includes: Assorted Threaded Steel Roller Shafts, Includes: Machined Steel Pins / Shafts, Includes: Threaded Ends, Includes: Precision-Machined End Sections, Includes: Various Lengths and Diameters, Includes: Multiple Matching Sets, Some Pieces Show Surface Rust / Oxidation, Quantities, sizes, thread patterns and configurations vary throughout the lot, Buyer should review all photos for exact contents, dimensions and quantities, Disclaimer: Specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

162



Lot 162: Various Steel Beams, Rods and Rollers, Rolling Work Table, Boxes of Industrial Straps

Various Steel Beams, Rods and Rollers, Rolling Work Table, Boxes of Industrial Straps, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

167



Lot 167: Ucimu Pipe Threading Station w/ Control Console & Material Supports

Manufacturer's Specifications:, Manufacturer: Ucimu, Type: Industrial Pipe Threading Station, Includes: Main Threading Machine, Includes: Separate Control Console, Includes: Pipe / Bar Material Support System, Includes: Multiple Adjustable Material Supports, Includes: Hydraulic / Mechanical Clamping Components, Includes: Integrated Motor and Drive Components, Includes: Operator Controls, Push Buttons and Indicator Lights, Heavy-Duty Floor-Mounted Industrial Configuration, Visible Wear, Surface Rust, Oil Residue and Signs of Industrial Use, Buyer should review all photos for exact configuration, condition and included components, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

163



Lot 163: Dake Dura Press Force 25DA Hydraulic Shop Press

Manufacturer's Specifications:, Manufacturer: Dake, Model: Dura Press Force 25DA, Type: Hydraulic Shop / H-Frame Press, Upright Floor-Standing Design, Hydraulic Ram / Press Cylinder, Adjustable Work Table / Bed, Pressure Gauge Mounted at Top, Includes: Assorted Press Tooling / Dies Shown, Serial Number: Visible on Manufacturer Tag, Industrial Metalworking / Fabrication Application, Buyer should review all photos for exact condition, configuration and included tooling, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

168



Lot 168: 7 Tier Rack with Various Parts

7 Tier Rack with Various Parts, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

169



Lot 169: (2 Qty) Steel Plate Work Station

(2 Qty) Steel Plate Work Station, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

170


Lot 170: (9) Pallets of Bearings, Threaded Steel Rods, Brackets & Assorted Machined Parts

Specifications:, Quantity: (9) Pallets, Includes: Assorted Bearing Components, Includes: Threaded Steel Rods / Shafts, Includes: Machined Steel Pins and Cylindrical Components, Includes: Assorted Steel Brackets, Includes: Formed and Fabricated Steel Parts, Includes: Machined Rings, Bushings and Sleeves, Includes: Assorted Plate and Structural Components, Includes: Parts Bins, Boxes and Loose Components, Some Pieces Show Surface Rust / Oxidation, Quantities, sizes, part numbers and configurations vary throughout the lot, Buyer should review all photos for exact contents and quantities, Disclaimer: Specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

171


Lot 171: (1) Pallet Rack & (3) Workstations w/ Bearings, Steel Rods, Rollers, Parts & Tools

Specifications:, Quantity: (1) Industrial Pallet Rack, Quantity: (3) Workstations / Shop Tables, Includes: Assorted Steel Rods and Shafts, Includes: Threaded Rods / Machined Pins, Includes: Assorted Bearings, Includes: Machined Rollers and Circular Components, Includes: Steel Bushings, Sleeves and Collars, Includes: Assorted Brackets and Fabricated Steel Parts, Includes: Pittsburgh 8-Ton Bottle Jack, Includes: Assorted Hand Tools and Shop Items, Includes: Parts Bins and Loose Components, Includes: Contents Shown on Workstations and Rack, Quantities, sizes and configurations vary throughout the lot, Buyer should review all photos for exact contents and quantities, Disclaimer: Specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

172


Lot 172: (1) Wilton Disc Sander & (1) Dayton Double-End Bench Grinder

Manufacturer's Specifications:, Quantity: (1) Wilton Disc Sander, Manufacturer: Wilton, Type: Floor-Standing Disc Sander, Includes: Large Vertical Sanding Disc, Includes: Adjustable Work Table, Includes: Floor-Standing Cabinet Base, Quantity: (1) Dayton Bench Grinder, Manufacturer: Dayton, Type: Pedestal-Mounted Double-End Bench Grinder, Includes: Dual Grinding Wheels, Includes: Wheel Guards / Tool Rests, Includes: Pedestal Stand, Used industrial shop equipment, Buyer should review all photos for exact configuration and condition, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

173


Lot 173: 1 (Qty) Wilton VSG Twenty Drill Press

Manufacturer's Specifications:, Manufacturer: Wilton, Model: VSG Twenty, Type: Floor-Standing Drill Press, Includes: Adjustable Work Table, Includes: Drill Chuck / Spindle Assembly, Includes: Column-Mounted Head, Includes: Floor Base, Used industrial shop equipment, Buyer should review all photos for exact configuration, specifications and condition, Disclaimer: The manufacturer's specifications provided are for reference only, and we disclaim any liability for inaccuracies or discrepancies. Specifications may vary by model or trim, and stock photos are used for illustrative purposes only and may not accurately represent the actual product. Please refer to the actual product for precise details., Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

174


Lot 174: (3 Qty) Rolling Carts With Various Metal Working Tools, (2 Qty) Portable Barrels of Mystik JT6 Greas

(3 Qty) Rolling Carts With Various Metal Working Tools, (2 Qty) Portable Barrels of Mystik JT6 Grease with Air Hose and Gun, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

175


Lot 175: Large Steel Plate Work Station with Various Steel Brackets and Bearings

Large Steel Plate Work Station with Various Steel Brackets and Bearings, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

176


Lot 176: 1 (Qty) Delta 16 1/2" Drill Press with Square Piping and Various Metal Working Tools

1 (Qty) Delta 16 1/2" Drill Press with Square Piping and Various Metal Working Tools, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

177


Lot 177: Large Steel Plate Work Station with Various Steel Pieces and D-Rings

Large Steel Plate Work Station with Various Steel Pieces and D-Rings, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

178


Lot 178: (1 Qty) Lathe with Blue Rolling Rack

(1 Qty) Lathe with Blue Rolling Rack, Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items

179


Lot 179: Large Steel Plate Work Station with Various Steel Pieces, Tools, Painting Supplies

Large Steel Plate Work Station with Various Steel Pieces, Tools, Painting Supplies , Located Offsite , Buyer Responsible For Loading , Rigging And Removal Of ALL Items